

1 REQUIRED DOOR CLEARANCES

SCALE: NTS

FRONT APPROACH
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

TWO HINGED DOORS IN SERIES
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

DOORS AT OPPOSITE WALLS
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

HINGE APPROACH
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

2 TACTILE SIGNAGE & SYMBOLS

SCALE: NTS

WHEELCHAIR
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

HEARING
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

VISION
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

EXIT
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

3 THRESHOLD & LEVEL CHANGES

SCALE: NTS

THRESHOLD & LEVEL CHANGES
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

4 PROTRUDING OBJECTS

SCALE: NTS

PROTRUDING OBJECTS
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

5 REACH REQUIREMENTS

SCALE: NTS

REACH REQUIREMENTS
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

8 DOOR/HARDWARE DETAIL

SCALE: NTS

DOOR/HARDWARE DETAIL
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

6 TOILET ROOM FIXTURE HEIGHTS & CLEARANCES

SCALE: 3/4" = 1'-0"

TOILET ROOM FIXTURE HEIGHTS & CLEARANCES
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

7 ACCESSORY MOUNTING DIAGRAMS

SCALE: 3/4" = 1'-0"

ACCESSORY MOUNTING DIAGRAMS
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

ACCESSIBILITY REQUIREMENTS

SCALE: NTS

ACCESSIBILITY REQUIREMENTS
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

ADA DETAILS

SCALE: NTS

ADA DETAILS
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE APPROACH SIDE.
 PROVIDE THE CLEARANCE TO THE DOOR FROM THE REVERSE SIDE.

PROPOSED TOILET ROOMS

683 NORTLAND AVENUE, BUFFALO
 NEW YORK 14211

DATE: 10/10/11
 DRAWN BY: [Name]
 CHECKED BY: [Name]
 PROJECT NO: [Number]
 SHEET NO: A-1.2

